

CLAIMS

1. Kit for diagnosing disc herniation,

characterized in that it comprises antigens from nucleus pulposus cells for determining an optional presence of antibodies to nucleus pulposus.

5

2. The use of an anti-antibody to antibodies to nucleus pulposus cells in the manufacture of a medicament for the treatment of disc herniation.

10 3. The use of a false antibody to nucleus pulposus cells in the manufacture of a medicament for the treatment of disc herniation, which false antibody is able to bind to and block the antigen in such a way that an immunological reaction is inhibited.

15 4. The use of soluble antigens from nucleus pulposus cells in the manufacture of a medicament or a diagnostic means for the diagnosis or treatment of disc herniation.

15

5. Method for treating disc herniation, whereby a therapeutically efficient amount of a compound that prevents the binding of serum antibodies to nucleus pulposus cells to bind to nucleus pulposus.

20 6. Method for treating disc herniation, whereby a therapeutically efficient amount of an anti-antibody to antibodies of nucleus pulposus cells is administered.

7. Method for treating disc herniation, whereby a therapeutically efficient amount of a false antibody to nucleus pulposus is administered, which false antibody is able to bind to and 25 block the antigen in such a way that an immunological reaction is inhibited.

8. Method for treating disc herniation, whereby a therapeutically efficient amount of soluble antigens from nucleus pulposus cells is administered.